




MADE IN GERMANY



UNDERGROUND TECHNOLOGIES

MINING

BETEK TUNGSTEN CARBIDE TOOLS



UNDERGROUND
TECHNOLOGIES

- FOUNDATION DRILLING
- MINING
- TRENCHLESS
- TRENCHING
- TUNGSTUDS
- DRUM CUTTERS

IN USE WORLDWIDE

TUNGSTEN CARBIDE AND STEEL

Steel and carbide are two materials with totally different expansion coefficients when subjected to heat. Nevertheless, it is of steel and tungsten carbide that our tools are made, with tungsten carbide for the wear-resistant tip, and steel for the tool shank. Since tools reach high temperatures during use, extreme tensile stresses are generated. These stresses are absorbed by a special brazing material that joins the tungsten carbide tip to the steel section.

We have developed our own methods and systems for this brazing process, which is carried out on fully automated machines with the process covered in an inert protective gas. Manufacturing parameters are fully monitored and documented to ensure consistent quality. Afterwards, brazing shear strengths are checked to ensure that our "Masters of the construction site" lose no time due to broken tools!



BETEK HIGH-TECH TOOLS



1

CUSTOMER SERVICE

- Efficient, customised solutions based on flexible structures
- Personalised, quick response to customer requirements



2

DEVELOPMENT & CONSTRUCTION

- Quick creation of samples and prototypes
- Competitive pricing thanks to close cooperation with all production units



3

TUNGSTEN CARBIDE MANUFACTURING

- High-purity raw materials are used for high strength
- Consistently high, pore-free tungsten carbide quality through precise process control thanks to years of experience and know-how



4

SOLDERING PRODUCTION UNIT

Production facilities and processes specially developed to perfection by experts in the combination of tungsten carbide and steel



5

AUTOMATION

Maintaining a competitive edge on the global market thanks to a high degree of automation and flexible manufacturing facilities



6

QUALITY ASSURANCE

Continuous quality testing of the entire manufacturing chain all the way up to the installation site, in conformity with DIN ISO 9001:2000 and DIN EN ISO 14001



7

TRAINING

User training courses at BETEK or on-site for sustainable, long-term commercial success and customer satisfaction



8

LOGISTICS

Quick responses thanks to:


- the use of the very latest IT and enhanced logistics networking
- Standard products kept in stock

OUR KNOW-HOW COMBINED WITH
STATE-OF-THE-ART PRODUCTION
TECHNOLOGIES GUARANTEES THE
FINEST QUALITY, MADE IN GERMANY




ROUND SHANK CUTTER BITS

► SHANK SYSTEM – Ø 25 MM/1"




■ BTK140

BG25P-12.4368




■ BTK107

BG25P-74.4363




■ BTK107-DUAL

BG25HP-74.4363




■ BTK138P

BG25P-15.4363P



■ BHR185


B132-101-B




ROUND SHANK CUTTER BITS




▶ SHANK SYSTEM – Ø 30 MM/1,18"




■ **BGF27**
BG30P-70.5085




■ **BGF28P**
BG30P-70.5070P




■ **BGF21**
BG30P-12.5284A



■ **BGF14**
BG30P-11.5184F





■ **BGF29**
BG30P-15.5284



■ **BGF29P**
BG30P-15.5284P




➤ SHANK SYSTEM – Ø 30 MM/1,18"




■ **BHR183**


B133-118-B




ROUND SHANK CUTTER BITS




► SHANK SYSTEM – Ø 30 MM/1,18" SHANK 82MM/3,2"




■ **BGK86**
B47GK17.5LK77-KE




■ **BGK38**
B47GK22-K




■ **BGK90**
BG30K-22.60.77




► SHANK SYSTEM – Ø 30 MM/1,18" SHANK 96MM/38"



■ **BGK108**
BG30K-73.5080





■ **BGK100P**
BG30K-15.5080P




■ **BGK100**
BG30K-15.5080




► SHANK SYSTEM – Ø 30 MM/1,18" SHANK 76MM/3"




■ **BGK99**
BG30K-11.5184F




■ **BGK97**
BG30K-15.5084




■ **BGK97/P**
BG30K-15.084P




■ **BGK110**
BG30K-76.5080



■ **BGK84**
BG30K-15.5081



■ **BGK109**
BG30K-17.5080




■ **BGK105**
BG30K-74.5084






ROUND SHANK CUTTER BITS


► SHANK SYSTEM – Ø 30 MM/1,18"




■ **BGS95**
B47GK15LK80




■ **BGS17**
B47GK17.5




■ **BGS80**
B47GK17.5LK75




■ **BGS89**
B47GK17.52K75-E




■ **BGS88**
B47GK19/70-E




■ **BGS84P**
B47GK19/70-P




■ **BGS100**
BG30W-19.7075




■ **BGS90**
B47GK22LK70-E




■ **BGS93**
B47GK22LK70/70



■ **BGS16**
BG30W-25.7070A



■ **BGS105**
BG30W-25.7070




■ **BGS103**
BG30W-69.7077



ROUND SHANK CUTTER BITS




► SHANK SYSTEM – Ø 30 MM/1,18"




■ BGF25

BG30F-15.7075




■ BGF10

B47GK17.5LK75-E/F




■ BGF36

BG30F-19.7070




■ BGF11

BG30F-22.7070




■ BSR58


BG30F-09.6064




► SHANK SYSTEM – Ø 30 MM/1,18"




■ BHR35
B30.65



■ BHR94
B43G



■ BHR75
B30.65H




■ BHR193
B30.8045




ROUND SHANK CUTTER BITS




▶ SHANK SYSTEM – Ø 32 MM/1,26"




■ **BSR295**
BG32FL-22.5570



■ **BSR303**
BG32FL-19.5590




■ **BSR271**
BG32H-19.6090




■ **BR89**
BR50-32/K




▶ SHANK SYSTEM – Ø 32/33 MM – 1,26/1,3"




■ **BSR332**
BG32P-73.4771
Holder length 58 mm



■ **BSR245**
BG32P-70.4771
Holder length 58 mm



■ **BSR269**
BG32P-70.55.70C
Holder length 61 mm




■ **BSR255**
BG32P-70.5590A
Holder length 62 mm




► SHANK SYSTEM – Ø 32/33 MM – 1,26/1,3"




Holder length 63 mm




■ **BSR290**
BG32P-70.5590A



■ **BSR248/2**
BG32P-70.5070




■ **BSR251**
BG32P-70.5570A




■ **BSR279**
BG32P-70.5590




Holder length 67 mm




■ **BSR234**
BG32P-0.4890




■ **BSR281**
BG32P-19.5590A




■ **BSR262**
BG32P-22.5570A



■ **BSR294**
BG32P-22.5590A



■ **BHR205**
B32.67H




ROUND SHANK CUTTER BITS




► SHANK SYSTEM – Ø 32/33 MM – 1,26/1,3"

Holder length 72 mm

■ **BSR165**


BG32P-70.4875

■ **BSR241**


BG32P-70.5570



Holder length 74 mm


■ **BSR242**

BG33P-70.5573




► SHANK SYSTEM – Ø 32/33 MM – 1,26/1,3"


Holder length 75 mm




■ **BSR252**
BG32P-70.5570B




■ **BSR270/2**
BG32P-19.5590A




■ **BSR246**
BG32P-22.5570




■ **BSR274P**
BG33P-22.5570P




■ **BSR282**
BG32P-22.5590




■ **BSR263**
BG33P-22.5570




■ **BSR333**
BG31P-22.6580



■ **BSR334**
BG31P-22.6580SE




■ **BSR330**
BG32HP-19.6090




ROUND SHANK CUTTER BITS


► SHANK SYSTEM – Ø 32/33 MM – 1,26/1,3"




■ **BHR224**
B32.75H



■ **BHR242**
B33.8040




■ **BHR243**
B33.8040-B




■ **BHR213**
B32.8445-B




► SHANK SYTEM – Ø 35 MM/1,38"




■ **BSR346**
BG35X-70.64102




■ **BSR347**
BG35X-70.64102A



■ **BSR343**
BG35X-19.64102



■ **BSR343P**
BG35X-19.64102P




■ **BSR324**
BG35X-22.64102




ROUND SHANK CUTTER BITS




► SHANK SYSTEM – Ø 35 MM/1,38"
GAUGE 89 MM/3,5"




■ **BSR370**
BG35H-15.5589




■ **BSR111P**
BG35H-19.5589AP




■ **BSR111**
BG35H-19.5589A




■ **BR71**
BR49.8-35-119




■ **BSR285P**
BG35H-73.5589P



■ **BSR228**
BG35H-25.5588





■ **BSR288P**
BG35H-25.5588P



■ **BSR445P**
BG35H-30.5588P



► SHANK SYSTEM – Ø 35 MM/1,38" GAUGE 89 MM/3,5"



■ **BSR112**

BG35K-19.5589



■ **BSR259**

BG35K-25.5588




■ **BSR451P**

BG35K-25.5588P



► SHANK SYSTEM – Ø 35 MM/1,38" GAUGE 100–102 MM/4"



■ **BSR221**

BG35H-15.55102A



■ **BSR224P**

BG35H-15.55102



■ **BSR319**

BG35H-70.55102A



■ **BSR175**

BG35H-19.55100



■ **BSR146P**

BG35H-19.55100PA



■ **BSR249**

BG35H-73.55100



■ **BSR249P**


BG35H-73.55100P



ROUND SHANK CUTTER BITS




► **SHANK SYSTEM – Ø 35 MM/1,38"**
GAUGE 100–102 MM/4"




■ **BSR362**

BG35K-72.55100




■ **BSR363**

BG35K-73.55100



■ **BSR207**

BG35K-74.55102




■ **BSR357**


BG35K-19.55100




► SHANK SYSTEM – Ø 38/30 MM-1,5/1,18"




■ **BKS16**
B46K12.5LK90




■ **BKS153**
BS38W-12.5077




■ **BKS155P**
BS38W-17.5064P




■ **BKS155**
BS38W-17.5064




■ **BKS166**
BS38W-17.6070




■ **BKS191**
BS38W-17.4878




■ **BKS154**
BS38W-19.5064



■ **BKS156**
BS38W-22.5064



■ **BKS156P**
BS38W-22.5064P




■ **BKS204**
BS38W-25.5268




ROUND SHANK CUTTER BITS




► SHANK SYSTEM – Ø 38/30 MM-1,5/1,18"




■ **BKS171**
BS38W-17.6077



■ **BKS189**
BS38W-19.6070




■ **BKS190P**
BS38W-19.6070P




■ **BKS172**
BS38W-19.6377




► SHANK SYSTEM – Ø 38/30 MM-1,5/1,18"




■ **BKFL03**
BS38FL-19.6064




■ **BKFL02**
BS38FL-22.6564




■ **BKFL04**
BS38FL-22.6064



■ **BKFL01**
BG35L-22.6590




■ **BKFL06**
BS38FL-25.6564



■ **BKFL06P**
BS38FL-25.6564P



► SHANK SYSTEM – Ø 38/30 MM-1,5/1,18"



■ BHR38

B43H



■ BHR204


B3830.7845




ROUND SHANK CUTTER BITS




► SHANK SYSTEM – Ø 38/30 MM-1,5/1,18"




■ **BKF15**
BS38W-19.7075




■ **BKF10**
BS38W-25.7077




■ **BKF16**
B47k24/70-F




■ **BKF17**
B47K22/70-F




► SHANK SYSTEM – Ø 38 MM/1,5"




■ **BSR455**
BG38K-73.7085




■ **BSR456**
BG38K-73.7085





■ **BSR297**
BG38K-22.6092





■ **BSR296**
BG38K-19.6092



■ **BHR288**
B38.10043




► SHANK SYSTEM – Ø 38/30 MM/1,5"




■ **BSR292**

BS38H-17.55100A




■ **BSR292P**

BS38H-17.55100PA




■ **BSR291P**

BS38H-19.55100PA





■ **BSR291**

BS38H-19.55100A




■ **BR76**

BR 57-38




■ **BR87**


BR 57-38/K



ROUND SHANK CUTTER BITS




► SHANK SYSTEM – Ø 38 MM/1,5"




■ **BSR286**

BG38K-17.5577A




■ **BSR188**

BG38K-19.6070




■ **BSR202P**

BG38K-19.6070P




■ **BSR189**

BG38K-22.6070




■ **BSR190**

BG38K-25.6070





■ **BSR190P2**

BG38K-25.6070P2




■ **BHR222**

B38.8945-B



■ **BHR219**

B38.8940







ROUND SHANK CUTTER BITS




► SHANK SYSTEM – Ø 38 MM/1,5" HOLDER LENGTH 65 MM/2,6"




■ **BSR441**
BG38W-72.8585




■ **BSR311**
BS38W-19.8080




■ **BSR452**
BG38W-73.8585




■ **BSR199P**
BS38W-22.7080AP




■ **BSR436**
BG38W-73.85100




■ **BSR379**
BG38W-22.7085




■ **BSR379P**
BG38W-22.7085P



■ **BSR140**
BS38W-22.7080




■ **BSR198**
BS38W-22.8080A




■ **BSR444-A**
BG38W-25.7092




► SHANK SYSTEM – Ø 38 MM/1,5" HOLDER LENGTH 65 MM/2,6"




■ **BSR237**
BS38W-22.6883A




■ **BSR240P**
BS38W-22.6883PA




■ **BSR200P**
BS38W-25.7080P




■ **BSR201**
BS38W-25.8080A




■ **BSR312**
BS38W-25.6580




■ **BSR287**
BS38W-25.7080




■ **BSR197**
BS38W-30.8080A




■ **BSR338P**
BS38W-75.6580PA




■ **BHR169**
B38H






ROUND SHANK CUTTER BITS


► **SHANK SYSTEM – Ø 38 MM/1,5"**
HOLDER LENGTH 75 MM/3,0"




■ **BSR114**
BG38W-22.6580



■ **BSR131P**
BG38W-22.6580P





■ **BSR215P**
BG38W-25.6580P




■ **BSR193**
BG38W-25.6580




SPECIAL SHANK SYSTEM




■ **BKFX23**
BS38F-67.5497




■ **BKFX57**
BS38F-19.7277




■ **BKFX58**
BS38F-22.7266



■ **BLK10**
B46K2L




■ **BLK14**
BS38K-70.5275



■ **BLK12**
BS38K-22.5566




SPECIAL SHANK SYSTEM




■ **BHR191**
B3830.8940




ROUND SHANK CUTTER BITS




■ **BKR27**
BG38X-17.6090




■ **BKR33**
BG38X-17.65110



■ **BKR30P**
BG40X-22.70130PA



■ **BKR31/2P**
BG38X-22.65110PB




■ **BKR32P**
BG38X-25.65110P






ROUND SHANK CUTTER BITS


► SHANK SYSTEM – Ø 43/35 MM-1,70/1,38"
GAUGE 102 MM/4,0" | 89 MM/3,5"




■ **BSR284P**
BS43X-19.67102P




■ **BSR258**
BS43H-25.65102




■ **BSR265P**
BS43H-25.6789P




■ **BSR230P**
BS43H-70.67102P




■ **BSR204**
BS43H-19.67102A




■ **BSR236**
BS43H-22.64102



■ **BSR258P**
BS43H-25.65102P



■ **BSR369P**
BS43H-30.6789P




■ **BSR181**
BS43H-69.67102A



ROUND SHANK CUTTER BITS




► SHANK SYSTEM – Ø 43/35 MM-1,70/1,38"
GAUGE 114 MM/4,5"




■ BSR182

BS43H-19.67114




■ BSR184S

BS43H-19.67114S




■ BSR231

BS43HF-22.67114




■ BSR417P

BS43H-71.67114P




■ BSR418

BS43H-72.67114




■ BSR211P

BS43H-70.67114AP



■ BSR178P

BS43H-22.67114P




■ BSR203


BS43H-67.67114




► SHANK SYSTEM – Ø 43/35 MM-1,70/1,38"




■ **BHR261**
B300




■ **BR94**
BR57-44A



■ **BHR159**
B300






■ **BR74**
BR57-44





■ **BR79**
BR57-44-144






RADIAL BITS



■ **BF56**
BF145x38x22/2






■ **BF57**
BF145x38x22/3P






■ **BHF19**
BHF38x23








■ **BF58/3**
BF145x38x22/4




■ **BF66**
BF145x38x22/HD




■ **BHF33**
BHF38x23/LR


RADIAL BITS



■ **BF38**
BF230x137x30.6



■ **BF45**
BF200x137x30.6



■ **BF65**
BF200x145x30.5P





ACCESSORIES



■ **BZ44**
Bit extractor for Mini bit



■ **BZ42**
Bit extractor for BSH on BC-Series



■ **BZ43**
Bit extractor for BSH and BC-Series



■ **BZ38**
Wedge puller for shaft diameter 20-25



■ **BZ33**
Assembly tool for SI36



■ **BZ31**
Disassembly tool for SI36



■ **BZ41**
Assembly tool for SI26



■ **BZ32**
Disassembly tool for SI26



■ **BZ22**
Bit puller for BTK-Series



■ **BZ37**
Assembly tool for SI79/K



■ **BZ36**
Disassembly tool for SI79/K



■ **BZ05**
Bit puller for head diameter 60



■ **BZ35**
Assembly tool for SI239



■ **BZ34**
Disassembly tool for SI239



■ **BZ39**
Wedge puller for
shaft diameter 30-38



■ **SRZ02**
Plier for SR83/1, SR61
and SR54



■ **BZ12**
Bit puller for BKH-Series



■ **BZ18**
Bit puller with copper
disk for BKH-Series



■ **BZ16**
Bit extractor for Roll
pin with diameter 10



■ **BZ30**
Bit extractor for Roll
pin with diameter 16




■ **BZ40**
Wedge puller for
stepshank 43/35

EXTENSIVE WEAR PROTECTION




OVERVIEW


Betek can provide the appropriate stud welding machine for the TungStuds wear protection system.




■ **BTS01** BTSD16/16




■ **BTS02** BTSD16/19




■ **BTS03** BTSD19/16




■ **BTS04** BTSD19/19




■ **BTS05** BTSD22/16




■ **BTS06** BTSD22/19




■ **BTS07** BTSD22/22




■ **BTS08** BTSD22/18,5SG



■ **BTS10B** BTSD16/18B



■ **BTS20** BTSD16/12,5SG





■ **BTS100** BTSD19/15,6SG



*Height after welding

➤ **BTS-PLATES**




DIMENSIONS

Width in mm	Length in mm
50	50
75	75
100	100
125	125
150	150

Other sizes on request

EXTENSIVE WEAR PROTECTION

› WELDING PROCESS



BENEFITS

- Wear resistant thanks to the carbide core
- Quick welding process
- Suitable for uneven surfaces
- Simply replaceable
- Less maintenance › Higher productivity
- Less downtime › Cost reduction

PERFORMANCE

› CUTTING WEAR PROTECTION

- Grid pattern is recommended
- Cutting wear protection due to the conical carbide shape

EXTENSIVE WEAR PROTECTION



› ROCK BOX EFFECT

- Grid pattern is recommended
- Rock-Box-Effect due to the cylindrical carbide shape

EXTENSIVE WEAR PROTECTION




APPLICATION





















SURFACE TECHNOLOGIES

- ROAD MILLING
- SURFACE MINING
- STABILISING
- RAIL TRACK CONSTRUCTION
- CRUSHING & MIXING



UNDERGROUND TECHNOLOGIES

- FOUNDATION DRILLING
- MINING
- TRENCHLESS
- TRENCHING
- TUNGSTUDS
- DRUM CUTTERS



ENVIRONMENTAL TECHNOLOGIES

- AGRICULTURE
- GRADER TOOLS
- TUNGSTEN CARBIDE
- FORESTRY & RECYCLING

Service number
+49 (0) 7422. 565-0

info@betek.de
www.betek.de